

Robust H_∞ Control for Uncertain Two-Dimensional Discrete Systems Described by the General Model via Output Feedback Controllers

Huiling Xu, Yun Zou, Shengyuan Xu, and Lei Guo

Abstract: This paper considers the problem of robust H_∞ control for uncertain 2-D discrete systems in the General Model via output feedback controllers. The parameter uncertainty is assumed to be norm-bounded. The purpose is the design of output feedback controllers such that the closed-loop system is stable while satisfying a prescribed H_∞ performance level. In terms of a linear matrix inequality, a sufficient condition for the solvability of the problem is obtained, and an explicit expression of desired output feedback controllers is given. An example is provided to demonstrate the application of the proposed method.

Keywords: Discrete systems, general model, linear matrix inequality, robust H_∞ control, two-dimensional systems, uncertain systems.

1. INTRODUCTION

Two-dimensional (2-D) systems have received much attention during the past decades [10] since 2-D systems have extensive applications in image processing, seismographic data processing, thermal processes, water stream heating, modeling of partial differential equations and other areas [3,8]. Different kinds of 2-D models, such as 2-D Roesser models and 2-D Fornasini-Marchesini models [2] etc., have been proposed. These models have also been extended to multidimensional systems; see, e.g., [11,13]. A great number of fundamental notions and results of one-dimensional (1-D) discrete systems were generalized to 2-D discrete systems [17]. Since the introduction of the general state space model of 2-D systems (2-D

GM) in [9], a lot of research topics, such as controllability [5], minimum energy control [4], internal stability [1], computation of 2-D eigenvalues and the transfer function matrix [20] related to 2-D GM have been studied in the literature.

Since the late 1980s, the problem of H_∞ control and filtering for linear systems has drawn considerable attention; many relevant results have been reported in the literature; see, e.g., [14], and the references therein. The robust H_∞ control problem for discrete-time systems was addressed in [19]. Very recently, robust H_∞ control and filtering for 2-D systems described by Roesser models and Fornasini-Marchesini model have been studied; see, e.g., [2,16,18], and the references therein. However, the problem of robust H_∞ control for 2-D discrete systems described by General models has not been investigated up to date.

In this paper, we are concerned with the problem of robust H_∞ control for 2-D discrete systems in the General model with parameter uncertainties. The parameter uncertainty is assumed to be unknown but norm bounded. The problem to be addressed is to design an output feedback controller such that the resulting closed-loop system is asymptotically stable and satisfies a prescribed H_∞ performance for all admissible uncertainties. A sufficient condition for the solvability of this problem is proposed in terms of a linear matrix inequality (LMI). When this LMI is feasible, an explicit expression of desired output feedback controllers is given. An example is provided to demonstrate the applicability of the proposed methods.

Notation. Throughout this paper, for Hermitian matrices X and Y , the notation $X \geq Y$ (respectively, X

Manuscript received May 15, 2007; revised December 21, 2007; accepted May 2, 2008. Recommended by Editorial Board member Guang-Hong Yang under the direction of Editor Jae Weon Choi. This work was supported by NSF of P. R. China under Grants 60674014, the Jiangsu Planned Projects for Postdoctoral Research Funds 0601010B, the National Science Foundation for Distinguished Young Scholars of P. R. China under Grant 60625303, and the Specialized Research Fund for the Doctoral Program of Higher Education under Grant 20060288021.

Huiling Xu is with the Department of Applied Mathematics, Nanjing University of Science and Technology, Nanjing, 210094, and the Research Institute of Automation, Southeast University, P. R. China (e-mail: xuhuiling_2005@yahoo.com.cn).

Yun Zou and Shengyuan Xu are with the Department of Automation, Nanjing University of Science and Technology, P. R. China (e-mails: syxu02@yahoo.com.cn, zouyun@vip.163.com).

Lei Guo is with the School of Instrument Science and Opto-Electronics Engineering, Beihang University, Beijing, 100083, China (e-mail: l.guo@seu.edu.cn).

$>Y$) means that the matrix $X-Y$ is positive semi-definite (respectively, positive definite). I is the identity matrix with appropriate dimension. The superscript “ T ” represents the transpose and the complex conjugate transpose. The notation $\|x\|$ stands for the Euclidean norm of the vector x . Matrices, if not explicitly stated, are assumed to have compatible dimensions.

2. PROBLEM FORMULATION AND PRELIMINARIES

Consider the following class of 2-D discrete-time systems described by the general model [9]:

$$(\Sigma) : \begin{aligned} x(i+1, j+1) &= (A_1 + \Delta A_1)x(i+1, j) \\ &+ (A_2 + \Delta A_2)x(i, j+1) + (A_0 + \Delta A_0)x(i, j) \\ &+ B_1u(i+1, j) + B_2u(i, j+1) + B_0u(i, j) \end{aligned} \quad (1)$$

$$+ L_1\omega(i+1, j) + L_2\omega(i, j+1) + L_0\omega(i, j), \quad (2)$$

$$\begin{aligned} z(i, j) &= Hx(i, j) + G\omega(i, j) + Bu(i, j), \\ y(i, j) &= (C + \Delta C)x(i, j) + D\omega(i, j), \end{aligned} \quad (3)$$

with the boundary conditions:

$$x(0, j) = x_{0j}, \quad x(i, 0) = x_{i0}, \quad i, j = 0, 1, 2, \dots, \quad (4)$$

where $x(i, j) \in R^n$, $u(i, j) \in R^m$, and $y(i, j) \in R^l$ are respectively, the local state vector, the control input, and measurement output of the plant.

$z(i, j) \in R^q$ is the controlled output, $\omega(i, j) \in R^p$

is the disturbance input which is assumed to belong to $l_2 \{[0, \infty), [0, \infty)\}$. $A_n, B_n, L_n, C, B, D, H$ and G are known real constant matrices with appropriate dimensions. ΔA_n and ΔC are unknown matrices representing norm-bounded parameter uncertainties, and are assumed to be of the form:

$$\begin{bmatrix} \Delta A_1 \\ \Delta A_2 \\ \Delta A_0 \\ \Delta C \end{bmatrix} = \begin{bmatrix} M_1 \\ M_2 \\ M_0 \\ M_c \end{bmatrix} F(i, j)N, \quad (5)$$

where $F(i, j) \in R^{q \times l}$ is an unknown real matrix satisfying

$$\|F(i, j)\| \leq 1, \quad (6)$$

and $M_n, (n=0,1,2), M_c$ and N are known real constant matrices with appropriate dimensions.

An unforced 2-D GM extracted from (1)-(3) is given by

$$(\Sigma_1) : \begin{aligned} x(i+1, j+1) &= A_1x(i+1, j) + A_2x(i, j+1) \\ &+ A_0x(i, j) + L_1\omega(i+1, j) \end{aligned} \quad (7)$$

$$+ L_2\omega(i, j+1) + L_0\omega(i, j), \quad (8)$$

$$z(i, j) = Hx(i, j) + G\omega(i, j).$$

Then the transfer function of system is (Σ_1) as follows:

$$T(z_1, z_2) = \frac{H(z_1z_2I - z_1A_1 - z_2A_2 - A_0)^{-1} (z_1L_1 + z_2L_2 + L_0) + G.}$$

Definition 1 [3]: The 2-D GM (Σ_1) is asymptotically stable, if $\sup_{i,j} \|x(i, j)\| < \infty$ and

$\lim_{i \rightarrow \infty, j \rightarrow \infty} x(i, j) = 0$ and zero input $\omega(i, j) \equiv 0$ and any boundary condition such that $\sup_i \|x(i, 0)\| < \infty$ and $\sup_j \|x(0, j)\| < \infty$.

Definition 2: Consider the 2-D GM (Σ_1) with zero boundary condition. Given a scalar $\gamma > 0$, 2-D GM (Σ_1) is said to be asymptotically stable with and H_∞ noise attenuation γ if it is asymptotically stable and satisfies $\|\bar{z}(i, j)\|_2 < \gamma \|\bar{\omega}(i, j)\|_2$ for any nonzero $\omega(i, j) \in l_2 \{[0, \infty), [0, \infty)\}$, where

$$\bar{z}(i, j) = [z(i+1, j)^T, z(i, j+1)^T, z(i, j)^T]^T,$$

$$\bar{\omega}(i, j) = [\omega(i+1, j)^T, \omega(i, j+1)^T, \omega(i, j)^T]^T.$$

Remark 1: Note that the definition is a natural extension of 2-D Fornasini-Marchesini local state-space (FM LSS) model to General Model (GM) case [2].

Remark 2: By the 2-D Parseval’s theorem [12], it is easy to see that the condition $\|\bar{z}(i, j)\|_2 < \gamma \|\bar{\omega}(i, j)\|_2$ under zero-initial conditions for any nonzero $\omega(i, j) \in l_2 \{[0, \infty), [0, \infty)\}$ is equivalent to

$$\|T(e^{j\theta_1}, e^{j\theta_2})\|_\infty = \sup_{\theta_1, \theta_2 \in [0, 2\pi]} \bar{\sigma}[T(e^{j\theta_1}, e^{j\theta_2})] < \gamma.$$

where $\bar{\sigma}(\square)$ represents the maximum singular value of matrix (\square)

Now, we consider the following full-order dynamic output feedback controller:

$$\begin{aligned}
 (\Sigma_k) : \hat{x}(i+1, j+1) &= A_{1k}\hat{x}(i+1, j) \\
 &+ A_{2k}\hat{x}(i, j+1) + A_{0k}\hat{x}(i, j) \\
 &+ B_{1k}y(i+1, j) + B_{1k}y(i+1, j) \\
 &+ B_{0k}y(i, j) \\
 u(i, j) &= C_k\hat{x}(i, j) + D_ky(i, j),
 \end{aligned} \tag{9}$$

$$u(i, j) = C_k\hat{x}(i, j) + D_ky(i, j), \tag{10}$$

where $\hat{x}(i, j)$ is the controller state, A_{nk}, B_{nk} , ($n=0,1,2$), C_k and D_k are matrices to be determined later. Applying this controller to the uncertain 2D GM (Σ) results in the following closed-loop system:

$$\begin{aligned}
 (\bar{\Sigma}) : \xi(i+1, j+1) &= (\bar{A}_{1c} + \Delta\bar{A}_{1c})\xi(i+1, j) \\
 &+ (\bar{A}_{2c} + \Delta\bar{A}_{2c})\xi(i, j+1) \\
 &+ (\bar{A}_{0c} + \Delta\bar{A}_{0c})\xi(i, j) + \bar{L}_{1c}\omega(i+1, j) \\
 &+ \bar{L}_{2c}\omega(i, j+1) + \bar{L}_{0c}\omega(i, j), \\
 z(i, j) &= (C_c + \Delta C_c)\xi(i, j) + D_c\omega(i, j),
 \end{aligned} \tag{11}$$

$$z(i, j) = (C_c + \Delta C_c)\xi(i, j) + D_c\omega(i, j), \tag{12}$$

where

$$\xi(i, j) = \begin{bmatrix} x(i, j) \\ \hat{x}(i, j) \end{bmatrix}, \quad \bar{M}_n = \begin{bmatrix} M_n + B_n D_k M_c \\ B_{nk} M_c \end{bmatrix},$$

$$\bar{M}_c = B D_k M_c, \quad \bar{N} = [N \quad 0],$$

$$\Delta\bar{A}_{nc} = \bar{M}_n F \bar{N}, \quad \Delta C_c = \bar{M}_c F \bar{N}.$$

and

$$\bar{A}_{nc} = \begin{bmatrix} A_n + B_n D_k C & B_n C_k \\ B_{nk} C & A_{nk} \end{bmatrix}, \quad D_c = G + B D_k D,$$

$$C_c = [H + B D_k C \quad B C_k], \quad \bar{L}_{nc} = \begin{bmatrix} L_n + B_n D_k D \\ B_{nk} D \end{bmatrix},$$

$$n = 0, 1, 2.$$

The robust H_∞ control problem to be addressed in this paper can be formulated as follows: given a scalar $\gamma > 0$, find an output feedback controller in the form of (Σ_k), such that the resulting closed-loop system ($\bar{\Sigma}$) is asymptotically stable with an H_∞ noise attenuation γ .

We end this section by presenting Lemmas that will be essential in the proof of our main results in the next section.

Lemma 1 [15]: Let Y be a nonsingular symmetric matrix and F satisfy (6). If M and N are constant matrices of appropriate dimensions and there exists a constant $\varepsilon > 0$ such that $\varepsilon I - N T N^T > 0$, then

$$\begin{aligned}
 (A + M F N)^T T^{-1} (A + M F N) \\
 \leq A^T (T - \varepsilon M M^T)^{-1} A + \varepsilon^{-1} N^T N.
 \end{aligned}$$

Lemma 2 [7]: The 2-D GM (Σ_1) is asymptotically stable if there exist matrices $P_1 > 0$, $P_2 > 0$, $P_0 > 0$ such that the following LMI holds:

$$A^T P A - \bar{P} < 0,$$

where

$$\bar{P} = \text{diag}\{P_1, P_2, P_0\}, \quad A = [A_1 \quad A_2 \quad A_0],$$

$$P = P_1 + P_2 + P_0.$$

3. BOUNDED REAL LEMMA

The following bounded real lemma will play an important role in solving the robust H_∞ control problem formulated in next section.

Theorem 1: Given a scalar $\gamma > 0$, the 2-D GM (Σ) is asymptotically stable with an H_∞ noise attenuation γ , if there exist matrices $P > 0$, $P_1 > 0$, $P_2 > 0$ such that the following LMI holds:

$$\begin{bmatrix} A^T P A - \bar{P} + \bar{H}^T \bar{H} & A^T P L + \bar{H}^T \bar{G} \\ L^T P A + \bar{G}^T \bar{H} & -\gamma^2 I + L^T P L + \bar{G}^T \bar{G} \end{bmatrix} < 0, \tag{13}$$

where

$$\bar{P} = \text{diag}\{P_1 - P_2, P_2, P - P_1\},$$

$$\bar{H} = \text{diag}\{H, H, H\}, \quad \bar{G} = \text{diag}\{G, G, G\},$$

$$L = [L_1 \quad L_2 \quad L_0], \quad A = [A_1 \quad A_2 \quad A_0].$$

Proof : By (13), it is easy to see that

$$A^T P A - \bar{P} < 0.$$

Noting this and Lemma 2, we have that system (Σ_1) with $\omega(i, j) = 0$ is asymptotically stable. Therefore, $G(z_1, z_2)$ is analytic in $|z_1| \geq 1, |z_2| \geq 1$. Next, we shall show

$$U(e^{j\theta_1}, e^{j\theta_2}) = \gamma^2 I - T^*(e^{j\theta_1}, e^{j\theta_2}) T(e^{j\theta_1}, e^{j\theta_2}) > 0,$$

for all $\theta_1, \theta_2 \in [0, 2\pi]$.

To this end, we note that (13) implies that there exist a matrix $\Phi > 0$ such that

$$\begin{bmatrix} A^T P A - \bar{P} + \bar{H}^T \bar{H} + \bar{\Phi} & A^T P L + \bar{H}^T \bar{G} \\ L^T P A + \bar{G}^T \bar{H} & -\gamma^2 I + L^T P L + \bar{G}^T \bar{G} \end{bmatrix} < 0, \tag{14}$$

where $\bar{\Phi} = \text{diag}\{\Phi, 0, 0\}$.

Pre-multiplying and post-multiplying (14) by

$$\begin{bmatrix} e^{-j\theta_1} I & e^{-j\theta_2} I & I & 0 & 0 & 0 \\ 0 & 0 & 0 & e^{-j\theta_1} I & e^{-j\theta_2} I & I \end{bmatrix},$$

and

$$\begin{bmatrix} e^{j\theta_1} I & e^{j\theta_2} I & I & 0 & 0 & 0 \\ 0 & 0 & 0 & e^{j\theta_1} I & e^{j\theta_2} I & I \end{bmatrix}^T,$$

respectively, we obtain that for all $\theta_1, \theta_2 \in [0, 2\pi]$

$$\begin{bmatrix} A(-j\theta_1, -j\theta_2)^T \\ L(-j\theta_1, -j\theta_2)^T \end{bmatrix} P \begin{bmatrix} A(j\theta_1, j\theta_2) & L(j\theta_1, j\theta_2) \end{bmatrix} + \begin{bmatrix} -P + \Phi + 3H^T H & 3H^T G \\ 3G^T H & -3\gamma^2 I + 3G^T G \end{bmatrix} < 0, \tag{15}$$

where

$$\begin{aligned} A(j\theta_1, j\theta_2) &= e^{j\theta_1} A_1 + e^{j\theta_2} A_2 + A_0, \\ L(j\theta_1, j\theta_2) &= e^{j\theta_1} L_1 + e^{j\theta_2} L_2 + L_0. \end{aligned}$$

Therefore, from (15), we have that for all $\theta_1, \theta_2 \in [0, 2\pi]$,

$$\Phi - P + 3H^T H + A(-j\theta_1, -j\theta_2)^T P A(j\theta_1, j\theta_2) < 0,$$

and

$$\begin{aligned} &\Phi - P + 3H^T H + A(-j\theta_1, -j\theta_2)^T P A(j\theta_1, j\theta_2) \\ &+ [A(-j\theta_1, -j\theta_2)^T PL(j\theta_1, j\theta_2) + 3H^T G] \\ &\Lambda^{-1}(j\theta_1, j\theta_2) \times [L(-j\theta_1, -j\theta_2)^T PA(j\theta_1, j\theta_2) \\ &+ 3G^T H] < 0, \end{aligned} \tag{16}$$

where

$$\begin{aligned} \Lambda(j\theta_1, j\theta_2) &= 3\gamma^2 I - 3G^T G - L(-j\theta_1, -j\theta_2)^T PL(j\theta_1, j\theta_2) > 0. \end{aligned}$$

Let

$$\begin{aligned} \Omega(j\theta_1, j\theta_2) &= \Phi + [A(-j\theta_1, -j\theta_2)^T PL(j\theta_1, j\theta_2) + 3H^T G] \\ &\times \Lambda^{-1}(j\theta_1, j\theta_2) \times [L(-j\theta_1, -j\theta_2)^T \\ &PA(j\theta_1, j\theta_2) + 3G^T H]. \end{aligned}$$

It easy to see that $\Omega(j\theta_1, j\theta_2) > 0$.

Then, (16) can be rewritten

$$\begin{aligned} &\Omega(j\theta_1, j\theta_2)^T PA(j\theta_1, j\theta_2) - P \\ &+ 3H^T H + \Omega(j\theta_1, j\theta_2) < 0. \end{aligned} \tag{17}$$

Let

$$R(j\theta_1, j\theta_2) = e^{j\theta_1, j\theta_2} I - A(j\theta_1, j\theta_2).$$

Then, it is east to see that the asymptotic stability of the system (Σ_1) implies that $R(j\theta_1, j\theta_2)$ is invertible for all $\theta_1, \theta_2 \in [0, 2\pi]$.

By (16), we have that

$$\begin{aligned} 3U(e^{j\theta_1}, e^{j\theta_2}) &= 3\gamma^2 I - 3T^*(e^{j\theta_1}, e^{j\theta_2})T(e^{j\theta_1}, e^{j\theta_2}) \\ &\geq \Lambda(j\theta_1, j\theta_2) - [L(-j\theta_1, -j\theta_2)^T PA(j\theta_1, j\theta_2) \\ &+ 3G^T H]\Omega(j\theta_1, j\theta_2)^{-1} \\ &\times [A(-j\theta_1, -j\theta_2)^T PL(j\theta_1, j\theta_2) + 3H^T G]. \end{aligned} \tag{18}$$

Note that

$$\begin{aligned} &\Omega(j\theta_1, j\theta_2) - [A(-j\theta_1, -j\theta_2)^T PL(j\theta_1, j\theta_2) \\ &+ 3H^T G] \times \Lambda(j\theta_1, j\theta_2)^{-1} [L(-j\theta_1, -j\theta_2)^T \\ &PA(j\theta_1, j\theta_2) + 3G^T H] = \Phi > 0. \end{aligned} \tag{19}$$

Then, by the Schur complement formula, (19) can be written

$$\begin{bmatrix} \Lambda(j\theta_1, j\theta_2) \\ A(-j\theta_1, -j\theta_2)^T PL(j\theta_1, j\theta_2) + 3H^T G \\ L(-j\theta_1, -j\theta_2)^T PA(j\theta_1, j\theta_2) + 3G^T H \\ \Omega(j\theta_1, j\theta_2) \end{bmatrix} > 0. \tag{20}$$

From (18) and (20), we have that $U(e^{j\theta_1, j\theta_2}) > 0$ for all $\theta_1, \theta_2 \in [0, 2\pi]$. Thus, the 2-D GM (Σ_1) has an H_∞ noise attenuation γ . This completes the proof. \square

Remark 3: In Theorem 1 degenerate to the existing bounded real lemma for discrete 2-D Fornasini-Marchesini local state-space (FM LSS) model [2]. Thus, Theorem 1 can be regarded as a natural generalization of bounded real lemma of 2-D Fornasini-Marchesini local state-space (LSS) model to General Model (GM) case.

4. ROBUST H_∞ CONTROL

In this section, an LMI approach will be developed to solve the robust H_∞ control problem.

Theorem 2: Consider the uncertain 2-D GM (Σ) . Given a scalar $\gamma > 0$, then there full-order dynamic output feedback controller in the form of (Σ_k) , such that the resulting closed-loop system is asymptotically stable with an H_∞ noise attenuation γ , if there exist matrices $X > 0, Y > 0, \Pi_{R_1} > 0, \Pi_{P_2} > 0, D_k Z_n, \Phi_n, \Psi$ and scalar $\varepsilon_n > 0, (n = 0, 1, 2)$ such that

$$\begin{bmatrix} \Theta_1 & 0 & J^T & E^T & 0 & U^T \\ 0 & \Theta_2 & V^T & F^T & 0 & 0 \\ J & V & -\tilde{P} & 0 & Q & 0 \\ E & F & 0 & \Theta_3 & K & 0 \\ 0 & 0 & Q^T & K^T & \Theta_4 & 0 \\ U & 0 & 0 & 0 & 0 & \Theta_5 \end{bmatrix} < 0, \tag{21}$$

where

$$\Theta_1 = \text{diag} \{ -\Pi_{R_1} + \Pi_{P_2}, -\Pi_{P_2}, -\tilde{P} + \Pi_{R_1} \},$$

$$\begin{aligned}\Theta_2 &= \text{diag}\{-\gamma^2 I, -\gamma^2 I, -\gamma^2 I\}, \\ \Theta_3 &= \text{diag}\{-I, -I, -I\}, \\ \Theta_4 &= \text{diag}\{-\varepsilon_1 I, -\varepsilon_2 I, -\varepsilon_0 I\}, \\ \Theta_5 &= \text{diag}\{-\varepsilon_1^{-1} I, -\varepsilon_2^{-1} I, -\varepsilon_0^{-1} I\}, \\ E &= \text{diag}\{E_1, E_1, E_1\}, \\ E_1 &= [HY + B\Psi \quad H + BD_k C], \\ F &= \text{diag}\{F_1, F_1, F_1\}, F_1 = G + BD_k D, \\ K &= \text{diag}\{K_1, K_1, K_1\}, K_1 = BD_k M_c, \\ U &= \text{diag}\{U_1, U_1, U_1\}, U_1 = [NY \quad N], \\ J &= [J_1 \quad J_2 \quad J_3], \\ J_n &= \begin{bmatrix} A_n Y + B_n \Psi & A_n + B_n D_k C \\ Z_n & X^T A_n + \Phi_n C \end{bmatrix}, \\ V &= [V_1 \quad V_2 \quad V_3], V_n = \begin{bmatrix} L_n + B_n D_k D \\ X^T L_n + \Phi_n D \end{bmatrix}, \\ Q &= [Q_1 \quad Q_2 \quad Q_3], \tilde{P} = \begin{bmatrix} Y & I \\ I & X \end{bmatrix}, \\ Q_n &= \begin{bmatrix} M_n + B_n D_k M_c \\ X^T M_n + \Phi_n M_c \end{bmatrix}, \quad n = 0, 1, 2.\end{aligned}$$

In this case, a desired dynamic output feedback controller is given in the form of $(\bar{\Sigma})$ with parameters as follows:

$$\begin{aligned}A_{nk} &= S^{-1}(Z_n - X^T A_n Y - S B_{nk} \\ &CY - X^T B_n C_k W^T - X^T B_n D_k C Y) W^{-T},\end{aligned}\quad (22)$$

$$\begin{aligned}B_{nk} &= S^{-1}(\Phi_n - X^T B_n D_k), \\ C_k &= (\Psi - D_k C Y) W^{-T}, \quad n = 0, 1, 2.\end{aligned}\quad (23)$$

where S and W are any nonsingular matrices satisfying

$$S W^T = I - X Y. \quad (24)$$

Proof : First, from (21) it is easy to see

$$\begin{bmatrix} -Y & -I \\ -I & -X \end{bmatrix} < 0,$$

which $I - X Y$ is nonsingular. This ensures that there always exist nonsingular matrices S and W such that (24) is satisfied. Now, we introduce the following nonsingular matrices:

$$\Omega_1 = \begin{bmatrix} Y & I \\ W^T & 0 \end{bmatrix}, \quad \Omega_2 = \begin{bmatrix} I & X \\ 0 & S^T \end{bmatrix}. \quad (25)$$

Let

$$P = \Omega_2 \Omega_1^{-1}.$$

Then

$$P = \begin{bmatrix} X & S \\ S^T & \Xi \end{bmatrix}, \quad (26)$$

where

$$\Xi = W^{-1} Y (X - Y^{-1}) Y W^{-T} > 0.$$

We have $P > 0$. By calculations, it can be verified that the LMI in (21) can be re-written as

$$\begin{bmatrix} \bar{\Theta}_1 & 0 & \bar{J}^T & \bar{E}^T & 0 & \bar{U}^T \\ 0 & \Theta_2 & \bar{V}^T & \bar{F}^T & 0 & 0 \\ \bar{J} & \bar{V} & -\bar{P} & 0 & \bar{Q} & 0 \\ \bar{E} & \bar{F} & 0 & \Theta_3 & \bar{K} & 0 \\ 0 & 0 & \bar{Q}^T & \bar{K}^T & \Theta_4 & 0 \\ \bar{U} & 0 & 0 & 0 & 0 & \Theta_5 \end{bmatrix} < 0, \quad (27)$$

where

$$\begin{aligned}\bar{\Theta}_1 &= \text{diag}\left\{-\Omega_1^T (P_1 - P_2) \Omega_1, -\Omega_1^T P_2 \Omega_1, \right. \\ &\left. -\Omega_1^T P \Omega_1 + \Omega_1^T P_1 \Omega_1\right\}, \\ \bar{J} &= [\Omega_2^T \bar{A}_{1c} \Omega_1 \quad \Omega_2^T \bar{A}_{2c} \Omega_1 \quad \Omega_2^T \bar{A}_{0c} \Omega_1], \\ \bar{V} &= [\Omega_2^T \bar{L}_{1c} \quad \Omega_2^T \bar{L}_{2c} \quad \Omega_2^T \bar{L}_{0c}], \\ \bar{Q} &= [\Omega_2^T \bar{M}_1 \quad \Omega_2^T \bar{M}_2 \quad \Omega_2^T \bar{M}_0], \bar{P} = \Omega_2^T P^{-1} \Omega_2, \\ \bar{E} &= \text{diag}\{C_c \Omega_1, C_c \Omega_1, C_c \Omega_1\}, \bar{F} = \text{diag}\{D_c, D_c, D_c\}, \\ \bar{U} &= \text{diag}\{\bar{N} \Omega_1, \bar{N} \Omega_1, \bar{N} \Omega_1\}, \\ \bar{K} &= \text{diag}\{\bar{M}_c, \bar{M}_c, \bar{M}_c\}.\end{aligned}$$

Now, pre- and post-multiplying (27) by $\text{diag}\{\Omega_1^{-T}, \Omega_1^{-T}, \Omega_1^{-T}, I, I, I, \Omega_2^{-T}, I, I, I, I, I, I, I, I\}$

and its transpose, respectively, and by the Schur complement formula and Lemma 1, the desired result follows immediately.

Remark 4: Theorem 2 provides us with a sufficient condition for the solvability of the robust H_∞ control of uncertain 2-D discrete-time systems described by General Model. Therefore, using the similar approach in [3], it is easy to solve (21) and (23).

5. NUMERICAL EXAMPLE

In this example, we consider the thermal processes in chemical reactors, heat exchangers and pipe furnaces, which can be described by the partial differential equation [3]:

$$\frac{\partial T(x, t)}{\partial x} = -\frac{\partial T(x, t)}{\partial t} - T(x, t) + U(t), \quad (28)$$

where $T(x, t)$ is usually the temperature at $x(\text{space}) \in [0, x_f]$ and $t(\text{time}) \in [0, \infty]$, and $U(t)$ is a given force function.

Define

$$x(i, j) = T(i, j),$$

where $T(i, j) = T(i\Delta x, j\Delta t)$. It is easy to see that the equation (28) can be converted into the following 2-D GM:

$$\begin{aligned} x(i+1, j+1) &= a_1 x(i+1, j) + a_0 x(i, j) \\ &\quad + b_1 u(i+1, j) + l_0 w(i, j), \end{aligned} \quad (29)$$

where

$$a_1 = 1 - \frac{\Delta t}{\Delta x} - \Delta t, \quad a_0 = \frac{\Delta t}{\Delta x}, \quad b_1 = \Delta t.$$

Assume that the controlled output and the measurement output are given by

$$\begin{aligned} z(i, j) &= 0.4x(i, j) + 0.1u(i, j) \\ y(i, j) &= 10x(i, j) + 10w(i, j). \end{aligned}$$

Let

$$a_1 = 0.4, a_0 = 0.5, \Delta x = 0.2, \Delta t = 0.1, b_1 = 0.1, l_0 = 0.1.$$

By Theorem 2, a desired output feedback controller can be constructed as

$$\begin{aligned} \hat{x}(i+1, j+1) &= 0.0695\hat{x}(i+1, j) + 0.1679\hat{x}(i, j) \\ &\quad - 4.1849 \times 10^{-6} y(i+1, j) - 4.2044 \times 10^{-6} y(i, j), \\ u(i, j) &= 8.6721\hat{x}(i, j) - 0.3999y(i, j). \end{aligned}$$

By the Matlab LMI Control Toolbox, the minimum γ is obtained as $\gamma^* = 0.4001$.

6. CONCLUSIONS


This paper has studied the problem of robust H_∞ control for uncertain discrete 2-D GM systems. A sufficient solvability condition has been proposed. This desired output feedback controllers can be designed by solving a certain LMI. Examples have shown that the proposed approach is effective.

REFERENCES

- [1] M. Bisiacco, E. Fornasini, and G. Marchesini, "On some connections between BIBO and internal stability of two-dimensional filters," *IEEE Trans. on Circuits and Systems*, vol. 32, pp. 948-953, 1985.
- [2] C. Du and L. Xie, *H ∞ Control and Filtering of Two-dimensional Systems*, Springer-Verlag, Heidelberg, 2002.
- [3] T. Kaczorek, *Two-Dimensional Linear Systems*, Springer-Verlag, Berlin, 1985.
- [4] T. Kaczorek, "Minimum energy control for general model of 2-D linear systems," *Int. J. Control*, vol. 47, pp. 1555-1562, 1988.
- [5] T. Kaczorek, "Local controllability and minimum energy control of continuous 2-D linear systems with variable coefficients," *Multidimensional Systems and Signal Processing*, vol. 6, pp. 69-75, 1995.
- [6] H. Kar and V. Singh, "Stability analysis of 2-D state-space digital filters with overflow nonlinearities," *IEEE Trans. Circuits Syst. I*, vol. 47, pp. 598-601, 2000.
- [7] H. Kar and V. Singh, "Stability of 2-D systems described by the Fornasini-Marchesini first model," *IEEE Trans. on Signal Processing*, vol. 6, pp. 1675-1676, 2003.
- [8] J. Kevorkian, *Partial Differential Equations: Analytical Solution Techniques*, Chapman & Hall, London, 1993.
- [9] J. E. Kurek, "The general state-space model for a two-dimensional linear digital system," *IEEE Trans. on Automatic Control*, vol. 30, pp. 600-602, 1985.
- [10] Z. Lin and L. Bruton, "BIBO stability of inverse 2-D digital filters in the presence of nonessential singularities of the second kind," *IEEE Trans. Circuits Syst.*, vol. 36, pp. 244-254, 1989.
- [11] Z. Lin, J. Ying, and L. Xu, "An algebraic approach to strong stabilizability of linear n-D MIMO systems," *IEEE Trans. on Automatic Control*, vol. 47, pp. 1510-1514, 2002.
- [12] W.-S. Lu and A. Antoniou, *Two-Dimensional Digital Filters*, Marcel Dekker, New York, 1992.
- [13] Y. Minory, L. Xu, and S. Osami, "2D model-following servo system," *Multidimensional Systems and Signal Processing*, vol. 10, pp. 71-91, 1999.
- [14] M. Sampei, T. Mita, and M. Nakamichi, "An algebraic approach to H_∞ output feedback control problems," *Systems & Control Lett.*, vol. 14, pp. 13-24, 1990.
- [15] Y. Wang, L. Xie, and C. E. de Souza, "Robust control of a class of uncertain nonlinear systems," *Systems & Control Lett.*, vol. 19, pp. 139-149, 1992.
- [16] H. Xu, Y. Zou, and S. Xu, "Robust H_∞ control for a class of uncertain nonlinear two-dimensional systems," *Int. J. Innovative Computing, Information and Control*, vol. 1, pp. 181-191, 2005.
- [17] S. Xu, J. Lam, Z. Lin, and K. Galkowski, "Positive real control for uncertain two-dimensional systems," *IEEE Trans. Circuits Syst. I*, vol. 49, pp. 1659-1666, 2002.
- [18] R. Yang, L. Xie, and C. Zhang, " H_2 and mixed

H_2/H_∞ control of two-dimensional systems in Roesser model,” *Automatica*, vol. 42, pp. 1507-1514, 2006.

- [19] L. Yuan, L. E. K. Achenie, and W. Jiang, “Robust H_∞ control for linear discrete-time systems with norm-bounded time varying uncertainty,” *Systems & Control Lett.*, vol. 27, pp. 199-208, 1996.
- [20] Y. Zou and C. Yang, “An algorithm for computation of 2-D eigenvalues,” *IEEE Trans. on Automatic Control*, vol. 39, pp. 1434-1436, 1994.



Huiling Xu received the Ph.D. degree in Control Science and Control Engineering from Nanjing University of Science and Technology in 2005. Her areas of interest include robust filtering and control, singular systems, two-dimensional systems.



Yun Zou received the Ph.D. degree in Automation from Nanjing University of Science and Technology in 1990. His areas of interest include singular systems, multidimensional systems, and transient stability of power systems.



Shengyuan Xu received the Ph.D. degree in Control Science and Control Engineering from Nanjing University of Science and Technology in 1999. His areas of interest include robust filtering and control, singular systems, time-delay systems and nonlinear systems.



Lei Guo received the Ph.D. degree in Control Engineering from Southeast University (SEU), P. R. China, in 1997. His research interests include robust control, stochastic systems, fault detection, and nonlinear control and applications.